



STARLITE



RENTAL CATALOG 2019

9 WHITTENDALE DRIVE | MOORESTOWN, NJ 08057
856-780-8000 | WWW.STARLITE.COM

STARLITE

9 WHITTENDALE DRIVE
MOORESTOWN, NJ 08057
856-780-8000
WWW.STARLITE.COM

TABLE OF CONTENTS



LIGHTING

| | |
|---------------------|---|
| AUTOMATED | 3 |
| MOTORS & CONTROL | 3 |
| LEDS | 4 |
| CONSOLES | 4 |
| MEDIA SERVERS | 4 |
| DIMMING | 5 |
| FOLLOWSPOTS | 5 |
| FOG & HAZE MACHINES | 5 |
| ELLIPSOIDALS | 5 |
| PARS | 5 |
| FRESNELS | 6 |
| STRIPLIGHTS | 6 |
| EFX | 6 |
| DISTRO | 6 |
| SIGNAL PROCESSING | 6 |
| DATA CABLE | 7 |
| POWER CABLES | 7 |
| STAGING & RISERS | 8 |
| TRUSS | 8 |



AUDIO

| | |
|---------------------------------------|----|
| DJ GEAR | 9 |
| AMPLIFIERS | 9 |
| DELAYS | 9 |
| PROCESSING | 10 |
| CROSSOVERS | 10 |
| CONSOLES | 10 |
| CABLES | 10 |
| IN-EAR MONITORS | 10 |
| COMMUNICATIONS | 11 |
| DIRECT BOXES, SNAKES & PRESS MULTS | 11 |
| LOUDSPEAKERS, PASSIVE | 11 |
| LOUDSPEAKERS, POWERED | 12 |
| PLAYBACK/RECORD | 12 |
| MICROPHONES, WIRED | 12 |
| MICROPHONES, WIRELESS | 13 |



VIDEO

| | |
|--|----|
| PROJECTORS | 14 |
| SCREENS | 14 |
| LED VIDEO TILES | 14 |
| VIDEO MONITORS | 15 |
| VIDEO CAMERAS | 15 |
| VIDEO PLAYBACK & RECORD | 15 |
| VIDEO SWITCHERS | 15 |
| VIDEO CABLE | 15 |
| VIDEO DISTRIBUTION AMPLIFIERS (DAS) | 15 |
| COMPUTERS | 16 |
| LECTERNS | 16 |
| A/V MEETING SUPPLIES | 16 |
| SIGNAL PROCESSORS | 16 |

LIGHTING

AUTOMATED

| | |
|-----------|-----------------------------------|
| CLAY PAKY | MYTHOS2 |
| CLAY PAKY | A. LEDA B-EYE K20 |
| CLAY PAKY | SHARPY |
| CLAY PAKY | IGLOO DOME ENCLOSURE |
| VARILITE | VL3500 SPOT WITH FRAMING SHUTTERS |
| VARILITE | VL3000 WASH |
| GLP | IMPRESSION X4 BAR 20 |
| CHAUVET | MAVERICK MK2 SPOT |
| CHAUVET | ROGUE R2 SPOT |
| CHAUVET | ROGUE R1 WASH |
| MARTIN | MAC AURA |
| HIGH END | TECHNOBEAM WITH IRIS |
| HIGH END | TRACKSPOT |

MOTORS & CONTROL

| | |
|-------------|--|
| CM | LODESTAR 1 TON HOIST, 3-PHASE, 60' |
| CM | LODESTAR 1/2 TON HOIST, 3-PHASE, 60' |
| CM | PROSTAR 1/4 TON HOIST, 3-PHASE, 60' |
| CM | HURRICANE 1/2 TON HOIST, MANUAL, 30' |
| SKJONBERG | CS1600, CS800, CS400 CONTROLLER |
| MOTION LABS | ML400 CONTROLLER |
| PICKLE | INDIVIDUAL MOTOR PENDANT CONTROLLER |
| MOTOR CABLE | 7-PIN SOCOPEX/VEAM EXTENSIONS (100', 50', 25') |

LEDS

| | |
|----------|--|
| CHROMA-Q | COLOR FORCE II (72", 48", 12") |
| SOLARIS | FLARE Q+ |
| ELATION | COLOUR CHORUS RGBA BATTEN (72", 48") |
| ALTMAN | SPECTRA CYC 200 RGBA |
| CHAUVET | MAVERICK MK2 SPOT |
| CHAUVET | ROGUE R2 SPOT |
| CHAUVET | ROGUE R1 WASH |
| CHAUVET | WELL FIT UPLIGHT RGBA (BATTERY-POWERED) - IP65 RATED |
| ETC | SOURCE FOUR LUSTR+ LED (SERIES 2) |
| ELATION | SIXPAR 200IP RGBAW+UV - IP65 RATED |
| GLP | IMPRESSION X4 BAR 20 |
| MARTIN | RUSHPAR2 RGBW ZOOM |
| MARTIN | MAC AURA |
| OSRAM | 50W RGB LED FLOODLIGHT - IP66 RATED |
| OSRAM | 50W WARM WHITE (3000K) LED FLOODLIGHT - IP66 RATED |
| CHAUVET | COLORADO PANEL Q40 - IP65 RATED |
| CHAUVET | OVATION LEKO, WARM WHITE - IP65 RATED |

CONSOLES

| | |
|--------------------------|--|
| MA LIGHTING | GRANDMA2 FULL-SIZE |
| MA LIGHTING | GRANDMA 2 LITE |
| MA LIGHTING | GRANDMA 1 LITE |
| MA LIGHTING | DOT2 CORE |
| MA LIGHTING | NETWORK PROESSING UNIT (NPU) |
| ETC | ION 2000, 2048 CHANNELS |
| ETC | ION 1000, 1024 CHANNELS |
| ETC | ION 2X20 UNIVERSAL FADER WING |
| ETC | ION 2X10 UNIVERSAL FADER WING |
| ETC | ION 1X20 UNIVERSAL FADER WING |
| ETC | SMARTFADE 2496 |
| ETC | SMARTFADE 1248 |
| ETC | GADGET-II 2-UNIVERSE PC OR MAC INTERFACE |
| ETC | NOMAD 512 LIGHTING CONTROLLER |
| HIGH END | HEDGEHOG4 |
| HIGH END | WHOLEHOG 2 WITH RFU |
| HIGH END | WHOLEHOG 2 EXPANSION WING |
| HIGH END | HOG 1000 |
| HIGH END | HOG 500 |
| LEPRECON | LP1524 |
| LEPRECON | LP612 |
| DOVE SYSTEMS | 6 X 1K SINGLE-SCENE BOARD WITH INTEGRAL DIMMER |
| DOVE SYSTEMS | 6 X 1K DUAL-SCENE BOARD WITH INTEGRAL DIMMER |
| INTERACTIVE TECHNOLOGIES | CUESERVER 2 MINI CONTROLLER |

MEDIA SERVERS

| | | |
|-------------|---------------------|--|
| GREEN HIPPO | HIPPOTIZER KARST V4 | MEDIA SERVER WITH (2) DVI DUAL-LINK & (1) DISPLAY PORT |
| FIGURE 53 | QLAB4 | MULTI-MEDIA PLAYBACK, CUE-BASED SOFTWARE |

DIMMING

| | |
|--------------|---|
| ETC | SENSOR+ TOURING RACK, 48 X 2.4K |
| ETC | SENSOR PACK, 12 X 2.4K |
| ETC | SENSOR PACK, 6 X 50A |
| ETC | SENSOR MODULES (RELAY, DIMMING, CONSTANT, FLOURESCENT DIMMER) |
| LEPRECON | VX24 TOURING RACK, 24 X 2.4K |
| LEPRECON | ULD-360-HP (STAGE-PIN) |
| LEPRECON | LD360-ND 6-CHANNEL NON-DIM RELAY (EDISON) |
| DOVE SYSTEMS | 6 X 1K SINGLE-SCENE BOARD WITH INTEGRAL DIMMER |
| DOVE SYSTEMS | 6 X 1K DUAL-SCENE BOARD WITH INTEGRAL DIMMER |

FOLLOWSPOTS

| | |
|--------|--|
| CANTO | 1500W MSR FOLLOWSPOT - MEDIUM THROW |
| LYCIAN | STARKLITE 1271 1200W HMI FOLLOWSPOT (SPECIFY LENS) |
| ALTMAN | EXPLORER 1200W HMI FOLLOWSPOT - MEDIUM THROW |
| ALTMAN | COMET FOLLOWSPOT - SHORT THROW |

FOG & HAZE MACHINES

| | |
|----------|---|
| ANTARI | ICE 101 LOW FOG |
| ULTRATEC | G300 CONTINUOUS DUTY FOG/HAZE |
| ULTRATEC | LSG LOW SMOKE GENERATOR (REQUIRES G-300 & LCO2) |
| REELEFX | DF-50 HAZER |
| CHAUVET | AMHAZE II WATER-BASED HAZER |
| ANTARI | Z-1500 FOGGER |
| REELEFX | TURBO FAN |
| AIRKING | INDUSTRIAL FAN (18" & 12") |
| CHAUVET | NIMBUS LOW FOG (REQUIRES DRY ICE) |
| CHAUVET | AMHAZE WHISPER |
| CHAUVET | VESUVIO II |

ELLIPSOIDALS

| | |
|---------|---|
| ETC | SOURCE FOUR (5°, 10°, 14°, 19°, 26°, 36°, 50°, 70° & 90°) |
| ETC | ENHANCED DEFINITION LENS TUBES |
| ETC | SOURCE FOUR LUSTR+ LED (SERIES 2) |
| ETC | SOURCE 4WRD LED |
| CHAUVET | OVATION E-160WW LED ELLIPSOIDAL LIGHT - IP65 RATED |

PARS

| | |
|---------------|--|
| ETC | SOURCE FOUR PAR-EA (VN, N, M, W, XW) |
| ETC | SOURCE FOUR PARNEL |
| THOMAS/TOMCAT | PAR 64 CAN (STANDARD, SNUB NOSE, OR OUTDOOR) |
| THOMAS/TOMCAT | PAR 56 CAN |
| THOMAS/TOMCAT | PAR 46 CAN |
| THOMAS/TOMCAT | PAR 38 CAN |
| THOMAS/TOMCAT | PAR 36 PINSPOT |

FRESNELS

| | |
|---------|--|
| DESISTI | LEONARDO 2000W QUARTZ FOCUSING FRESNEL |
| DESISTI | MONET 6" 1000W FOCUSING FRESNEL |
| ALTMAN | 65Q QUARTZ 6" FOCUSING FRESNEL |
| ALTMAN | 175Q 8" QUARTZ 1000W FOCUSING |
| ETC | SOURCE FOUR PARNEL |

STRIPLIGHTS

| | |
|----------|--------------------------------------|
| CHROMA-Q | COLORFORCE II (72", 48", 12") |
| ELATION | COLOUR CHORUS RGBA BATTEN (72", 48") |
| ALTMAN | SPECTRA CYC 200 RGBA |
| L&E | 6' MR-16 MINI-STRIP |
| ALTMAN | FC-1 FOCUSING CYC LIGHT |
| ALTMAN | 14" SCOOP |

EFX

| | |
|--------------------|---|
| ALTMAN/ZC&R | 400W BLACKLIGHT FLOODLIGHT |
| ELATION | S-200 SNOW MACHINE + S-200X MACHINES |
| ARTISTRY IN MOTION | BIG BLASTER CONTINUOUS FLOW CONFETTI BLOWER |
| STARLITE | HIGH-POWERED CONFETTI CANNON (SINGLE-SHOT) |
| APOLLO | GOBO ROTATORS (DUAL) |
| ULTRATEC | CYRO-JET C02 |
| ULTRATEC | HIGH-OUTPUT BUBBLE MACHINE |
| CHAUVET | FUNFETTI SHOT |
| KABUKI | 32" HANDHELD CONFETTI/STREAMER LAUNCHER |
| AIRKING | HIGH-VELOCITY FAN |
| GENERIC | GLASS MIRROR BALLS WITH ROTATORS (48", 36", 28", 20", 18", 16" & 12") |
| THOMAS | 9-LIGHT AUDIENCE BLINDER |
| MARTIN | ATOMIC STROBE (208V) |
| HIGH END | AF1000 STROBE |
| CHAUVET | OVATION GOBO ROTATOR - IP65 RATED |

DISTRO

OTHER CONFIGURATIONS ALSO AVAILABLE

| | |
|-----------------|--------------------------|
| LEX/MOTION LABS | (15) EDISON DUPLEX |
| LEX/MOTION LABS | (6) EDISON + (6) L6-20 |
| LEX/MOTION LABS | (6) EDISON + (12) L6-20 |
| LEX/MOTION LABS | (12) EDISON + (6) L6-20 |
| LEX/MOTION LABS | (12) EDISON + (12) L6-20 |
| LEX/MOTION LABS | (24) 120V SOCOPEX |
| LEX/MOTION LABS | (24) 208V SOCOPEX |
| LEX/MOTION LABS | (24) 120V + 208V SOCOPEX |

SIGNAL PROCESSING

| | |
|--------------------|--|
| MARTIN | RDM 5.5 SPLITTER (DMX & RDM) |
| DOUG FLEENOR | 125EE ENHANCED 5-PIN DMX ISOLATED OPTOSPLITTER |
| DOUG FLEENOR | 123 3-PIN DMX ISOLATED OPTOSPLITTER |
| WIRELESS SOLUTIONS | BLACKBOX W-DMX F1 WIRELESS TRANCEIVER |
| PATHWAY | PATHPORT C-SERIES NODES |
| CITY THEATRICAL | SHOW BABY 6 |
| NETGEAR | NETWORK SWITCHES (GIGABIT) |

DATA CABLE

| | |
|-----|--|
| LEX | 5-PIN DMX CABLE (100', 50', 25', 10', 5') |
| LEX | 3-PIN CABLE (100', 50', 25', 10') |
| LEX | ETHERNET CABLE (300', 200', 100', 50', 25', 10') |
| LEX | 120 OHM DATA TERMINATORS |

POWER CABLES

FEEDER CABLE

| | |
|--------------|---|
| CROUSE-HINDS | 2/0 5-WIRE CAMLOCK FEEDER SET (100', 50', 25', 10') |
| CROUSE-HINDS | 4/0 5-WIRE CAMLOCK FEEDER SET (100', 50', 25', 10') |
| CROUSE-HINDS | CAMLOCK 5-WIRE FEEDER TAIL SETS (2/0, 4/0) |
| CROUSE-HINDS | CAMLOCK TURNAROUNDS & ADAPTERS |

6-CIRCUIT SOCOPEX/VEAM MULTICABLE

| | |
|-----|---|
| LEX | 12 AWG, 19-PIN VEAM/SOCOPEX EXTENSION CABLE (100', 50', 25') |
| LEX | 19-PIN VEAM/SOCOPEX TO (6) L-620 TWISTLOCKS (M OR F) |
| LEX | 19-PIN VEAM/SOCOPEX TO (6) EDISON CONNECTORS (M OR F) |
| LEX | 19-PIN VEAM/SOCOPEX TO (6) NEUTRIK POWERCON CONNECTORS (M OR F) |
| LEX | 19-PIN VEAM/SOCOPEX TO (6) STAGE PIN CONNECTORS (M OR F) |
| LEX | SOCOPEX TWOFER |

EDISON EXTENSION CABLE, 120V

| | |
|-----|---|
| LEX | EDISON 12/3 EXTENSION CABLE (100', 50', 25', 10') |
| LEX | EDISON TWOFER |
| LEX | E-STRING (50', 25') |
| LEX | QUAD BOX |
| LEX | POWER STRIPS |

L6-20 TWISTLOCK CABLE, 208V

| | |
|-----|--|
| LEX | L6-20 12/3 EXTENSION CABLE (100', 50', 25', 10') |
| LEX | L6-20 TWO-FERS |
| LEX | L6-20 THREE-FERS |

NEUTRIK POWERCON EXTENSION CABLE, 120/250V

| | |
|---------------|---|
| LEX | NEUTRIK POWERCON 12/3 EXTENSION CABLE (100', 50', 25', 10', 5') |
| LEX | NEUTRIK TRUE1 12/3 EXTENSION CABLE (25', 10', 2') |
| MISCELLANEOUS | 1 X 5 POWERCON DISTRO |

STAGE-PIN EXTENSION CABLE, 120V

| | |
|-----|--|
| LEX | STAGE PIN 12/3 EXTENSION CABLE (100', 50', 25', 10', 5') |
| LEX | STAGE PIN TWO-FERS |
| LEX | STAGE PIN THREE-FERS |

CABLE MANAGEMENT

| | |
|----------|---------------------------------------|
| CHECKERS | 5-CHANNEL HEAVY DUTY CABLE RAMP - 36" |
| ELASCO | 1-SLOT DROPOVER MINI CABLE RAMP - 36" |

STAGING & RISERS

| | |
|------------------|--|
| STAGING CONCEPTS | SC-90 4'X 8' DECK |
| STAGING CONCEPTS | SC-90 4'X 4' DECK |
| STAGING CONCEPTS | SC-90 2'X 8' DECK |
| STAGING CONCEPTS | SC-90 2'X 4' DECK |
| STAGING CONCEPTS | ADJUSTABLE H-FRAME (40"-60" HEIGHT) |
| STAGING CONCEPTS | DIAGONAL & HORIZONTAL BRACES |
| STAGING CONCEPTS | ADJUSTABLE LEGS (16"-24", 24"-36", OR 34"-50" HEIGHT) |
| STAGING CONCEPTS | FIXED LEGS (48", 40", 32", 24", 16", 12", 8") |
| STAGING CONCEPTS | STAGE RAIL (8', 4') |
| STAGING CONCEPTS | CHAIR STOP (8', 4') |
| STAGING CONCEPTS | STEPS (48", 40", 32", 24", 16", 8") |
| STAGING CONCEPTS | STEP RAILING |
| STAGING CONCEPTS | PLEATED SKIRT WITH CLIP (48", 40", 32", 24", 16", 12", 8") |
| STAGING CONCEPTS | 6-DECK STAGE CART |
| WENGER | TOURMASTER 6' X 18" X 24" RISER |

TRUSS

12 X 12 BOX TRUSS

| | |
|---------------|---|
| TOMCAT/THOMAS | 12" X 12" BOX TRUSS (10', 8', 5', 4', 2') (BLACK OR ALUMINUM) |
| TOMCAT/THOMAS | 12" X 12" 5-WAY CORNER BLOCK (BLACK OR ALUMINUM) |
| TOMCAT/THOMAS | 12" X 12" FLAT HINGE PLATE |

12 X 12 CIRCLE TRUSS

| | |
|---------------|--|
| TRILITE | 8' FOOT DIAMETER ALUMINUM TUBE |
| TOMCAT/THOMAS | 12" X 12" CIRCLE TRUSS - 15' FOOT DIAMETER |
| TOMCAT/THOMAS | 12" X 12" CIRCLE TRUSS - 20' FOOT DIAMETER |
| TOMCAT/THOMAS | 12" X 12" CIRCLE TRUSS - 24' FOOT DIAMETER |

20.5 X 20.5 BOX TRUSS

| | |
|---------------|-----------------------------------|
| TOMCAT/THOMAS | 20" X 20" BOX TRUSS (10', 8', 5') |
| TOMCAT/THOMAS | 20.5" X 20.5" 5-WAY CORNER BLOCK |

26 X 30 BOX TRUSS

| | |
|---------------|---|
| TOMCAT/THOMAS | 96" PRT DOUBLE HUNG SUPERTRUSS WITH CASTORS (EMPTY) |
| TOMCAT/THOMAS | 3-WAY GATE WITH LIFTING POINT |
| TOMCAT/THOMAS | PRT SLEEVEPLATE |

TOWER TRUSS

| | |
|---------------|---|
| TOMCAT/THOMAS | MK1/MK2 TOWER TRUSS (10', 8', 5', 4', 2') |
| TOMCAT/THOMAS | HEADBLOCK FOR 12" TOWER |
| TOMCAT/THOMAS | TOWER BASE WITH LEVELER FOR 12" TOWER |
| TOMCAT/THOMAS | 44" HINGE BLOCK FOR 12" TOWER |
| TOMCAT/THOMAS | SLEEVE BLOCK FOR 20.5" TRUSS |
| TOMCAT/THOMAS | TOWER OUTRIGGER WITH STABILIZER |

SPEAKER TOWER

| | |
|---------------|---------------------------------------|
| TOMCAT/THOMAS | SPEAKER TOWER (1500LB CAPACITY, 23'H) |
|---------------|---------------------------------------|

TRUSS ACCESSORIES

| | |
|---------------|--|
| TOMCAT/THOMAS | HEAVY-DUTY 36" BASE PLATE FOR 12" OR 20.5" TRUSS |
| TOMCAT/THOMAS | 40" TRUSS DOLLY FOR 12" OR 20.5" TRUSS |
| TOMCAT/THOMAS | GRADE-8 TRUSS HARDWARE |
| TMB | 12" GRAPPLE TRUSS CONNECTOR |
| LIGHT SOURCE | 1-TON MEGA TRUSS PICK (12" OR 20.5") |

AUDIO

DJ GEAR

| | | |
|----------|-----------------|---|
| RANE | SERATO SL4 | SOFTWARE & TIME CODE LP'S |
| RANE | TTM56 | DJ TURNTABLE MIXER |
| TECHNICS | SL-1200-MK2 | DIRECT-DRIVE QUARTZ-LOCK TURNTABLE |
| STANTON | TRACKMASTER AL1 | INTEGRAL CARTRIDGE WITH STYLUS & TECHNICS HEADSHELL |
| PIONEER | CDJ2000NXS | PRO DIGITAL DJ DECK |
| PIONEER | DJM-900NXS | PRO DJ MIXER |

AMPLIFIERS

| | | |
|-------|-------------------|--------------------------------------|
| QSC | CXD4.5 | 4-CHANNEL X 2000W AMPLIFIER WITH DSP |
| CROWN | I-TECH 6000 | 2-CHANNEL COMMERCIAL POWER AMPLIFIER |
| CROWN | MACRO-TECH 2400 | 2-CHANNEL COMMERCIAL POWER AMPLIFIER |
| CROWN | MACRO-TECH 3600VZ | 2-CHANNEL COMMERCIAL POWER AMPLIFIER |
| CROWN | MACRO-TECH 5000VZ | 2-CHANNEL COMMERCIAL POWER AMPLIFIER |

DELAYS

| | | |
|------------------|---------|---|
| BSS | TCS-804 | DIGITAL TIME-CORRECTING SYSTEM, 2-IN/4-OUT |
| KLARK TEKNIK | DN7454 | DIGITAL DELAY, 2-IN/4-OUT |
| T.C. ELECTRONICS | D-TWO | DIGITAL DELAY PROCESSOR |
| XTA | DP100 | AUDIO DELAY WITH 3-BAND PARAMETRIC EQ, 2-IN/4-OUT |

PROCESSING

| | | |
|--------------|---------------------|---|
| KLARK TEKNIK | DN360 | DUAL 31-BAND 1/3 OCTAVE GRAPHIC EQUALIZER WITH BALANCED OUT |
| BSS | FCS-960 | 30-BAND DUAL-MODE GRAPHIC EQUALIZER |
| KLARK TEKNIK | DN300 | MONO 31-BAND 1/3 OCTAVE GRAPHIC EQUALIZER |
| KLARK TEKNIK | DN410 | DUAL 5-BAND PARAMETRIC EQUALIZER |
| PRESONUS | ACP88 | 8-CHANNEL COMPRESSOR/GATE |
| KLARK TEKNIK | SQUARE ONE DYNAMICS | DYNAMICS PROCESSOR |
| BSS | DPR-504 | QUAD NOISE GATE |
| DBX | 160A | MONO COMPRESSOR/LIMITER |
| DBX | 160S | BLUE SERIES ULTRA-HIGH-QUALITY COMPRESSOR/LIMITER |
| DBX | 166A | DUAL COMPRESSOR/LIMITER/GATE |
| DBX | 166XL | DUAL COMPRESSOR/LIMITER/GATE |
| EVENTIDE | H3000B | ULTRA-HARMONIZER EFFECTS PROCESSOR |
| YAMAHA | SPX990 | DIGITAL MULTI-EFFECTS PROCESSOR |
| LEXICON | MPX 100 | DIGITAL EFFECTS PROCESSOR |
| LEXICON | PCM80 | DIGITAL EFFECTS PROCESSOR |
| LEXICON | PCM81 | DIGITAL EFFECTS PROCESSOR |

CROSSOVERS

| | | |
|------|---------|---|
| BSS | FDS-310 | 2-WAY STEREO CROSSOVER |
| BSS | FDS-318 | 4-WAY STEREO CROSSOVER |
| BSS | FDS-360 | 2-WAY STEREO, 3/4-WAY MONO CROSSOVER |
| RANE | AC-22B | 2-WAY/MONO 3-WAY CROSSOVER WITH POWER SUPPLY, BALANCED STEREO |

CONSOLES

| | | |
|---------------|-------------|---|
| MIDAS | M32R | DIGITAL 40-CHANNEL LIVE/STUDIO CONSOLE |
| MIDAS | M32 | 40-CHANNEL DIGITAL MIXER |
| YAMAHA | QL5 | DIGITAL MIXING CONSOLE WITH DANTE |
| YAMAHA | M7CL-48 | 48-CHANNEL DIGITAL MIXING CONSOLE |
| YAMAHA | LS9-32 | 32-CHANNEL DIGITAL MIXING CONSOLE |
| YAMAHA | LS9-16 | 16-CHANNEL DIGITAL MIXING CONSOLE |
| QSC | TOUCHMIX-16 | DIGITAL MIXER |
| ALLEN & HEATH | MIXWIZ 16:2 | 16-CHANNEL X 2 LIVE ANALOG MIXER |
| MACKIE | 1202-VLZ3 | COMPACT AUDIO MIXER |
| MACKIE | SR24-4 | 20-MIC, 2-STEREO, 4-BUS ANALOG AUDIO MIXING CONSOLE |
| MACKIE | SR32-4 | 28-MIC, 2-STEREO, 4-BUS ANALOG AUDIO MIXING CONSOLE |

CABLES

| | | |
|----------|-------------------------|--------------------------------------|
| ETHERCON | ETHERNET CABLE | |
| STARLITE | ETHERNET CABLE | 300', 200', 100', 50', 25' & 10' |
| STARLITE | 1/4" SPEAKER CABLE | 100', 50' & 25' (NL4 OR 1/4" & MDP) |
| STARLITE | AP6 | 100', 75', 50', 25', 5' & 2' |
| STARLITE | NL4 | 100', 50', 25', 10' & 5' |
| STARLITE | NL4 | 100', 50', 25' & 2' |
| STARLITE | 1/4" INSTRUMENT CABLE | 25', 10' & 5' |
| STARLITE | XLR | 100', 50', 25', 10' & 5' |
| STARLITE | L21-30 (30AMP, 3-PHASE) | 250', 200', 100', 50', 25', 10' & 5' |

IN-EAR MONITORS

| | | |
|------------|---------------|--|
| SENNHEISER | EK 300 IEM G3 | WIRELESS IN-EAR BODYPACK RECEIVER |
| SENNHEISER | SR 300 IEM G3 | WIRELESS IN-EAR RACK-MOUNTABLE TRANSMITTER |

COMMUNICATIONS

WIRELESS

| | | |
|-----------|--------------|--|
| CLEAR-COM | FREESPEAK II | 1.9 & 2.4GHZ, 5-CHANNEL FULL-DUPLEX WIRELESS INTERCOM |
| CLEAR-COM | TEMPEST 2400 | 2.4GHZ 2-CHANNEL WIRELESS INTERCOM SYSTEM ([5] STATIONS) |
| MOTOROLA | CP200 | 16-CHANNEL PORTABLE UHF TWO-WAY RADIO |

WIRED

| | | |
|-----------|--------|---------------------------------|
| CLEAR-COM | RS-701 | 1-CHANNEL INTERCOM BELTPACK |
| CLEAR-COM | PK7 | 1-CHANNEL PORTABLE POWER SUPPLY |
| GENTER | GT300 | ANALOG GROUP TELECONFERENCER |

HEADSETS

| | | |
|-----------|-----------|--|
| CLEAR-COM | CC-26K-X4 | SINGLE-SIDED LIGHTWEIGHT INTERCOM HEADSET |
| TELEX | PH88 | SINGLE-SIDED LIGHTWEIGHT INTERCOM HEADSET |
| TELEX | PH1 | SINGLE-SIDED INTERCOM HEADSET WITH A4F CONNECTOR |
| TELEX | PH2 | DOUBLE-SIDED INTERCOM HEADSET WITH A4F CONNECTOR |

DIRECT BOXES, SNAKES & PRESS MULTS

| | | |
|------------|--------------------------|--|
| WHIRLWIND | PCDI | STEREO PC LINE INTERFACE |
| BSS | AR-133 | ACTIVE DIRECT BOX/LINE BALANCER WITH GROUND LIFT |
| WHIRLWIND | DIRECT 4 | 4-CHANNEL PASSIVE DIRECT BOX (DI) |
| WHIRLWIND | MULTISNAKEDI | 4-CHANNEL DI/4-CHANNEL XLR AUDIO SNAKE |
| WHIRLWIND | IMP2 | 1-CHANNEL PASSIVE DIRECT BOX (DI) |
| WHIRLWIND | PRESSMITE | 12-CHANNEL ACTIVE PRESS BOX |
| OPAMP LABS | A242MLB | 2-IN/24-OUT ACTIVE AUDIO PRESS BOX |
| RAPCO | MDS112 | 12-CHANNEL PASSIVE MEDIA DISTRIBUTION SYSTEM |
| WHIRLWIND | MEDUSA CONCERT 56 | 48 X 8 STAGE BOX WITH SPLIT & GROUND LIFTS WITH W1 & W4 |
| RAPCO | 3-CHANNEL 25' XLR SNAKE | 3-CH. XLR FEMALE TO XLR MALE FAN TO FAN SNAKE (100', 50', 25') |
| RAPCO | 4-CHANNEL 25' XLR SNAKE | 4-CH. XLR FEMALE TO XLR MALE FAN TO FAN SNAKE, 25' |
| RAPCO | 5-CHANNEL 100' XLR SNAKE | 5-CHANNEL XLR FEMALE TO XLR MALE FAN TO FAN SNAKE, 100' |
| RAPCO | 6-CHANNEL 25' XLR SNAKE | 6-CHANNEL XLR FEMALE TO XLR MALE FAN TO FAN SNAKE (75' & 25') |
| RAPCO | 9 X 0 25' SUB SNAKE | 9-CHANNEL (NO RETURNS) FAN TO BOX XLR SNAKE (50' & 25') |
| RAPCO | 9-CHANNEL 250' SUB SNAKE | 6-INPUT X 3-OUTPUT XLR SNAKE WITH XLR RETURNS, 250' |
| RAPCO | 12 X 0 50' SUB SNAKE | 12-CHANNEL (NO RETURNS) FAN TO BOX XLR SNAKE, 50' |
| RAPCO | 12-CHANNEL 6' XLR SNAKE | 12-CHANNEL (6X6) XLR FEMALE TO XLR MALE SNAKE, 6' |
| RAPCO | 12-CHANNEL 25' XLR SNAKE | 12-CHANNEL XLR FEMALE TO XLR MALE FAN TO FAN SNAKE, 25' |
| RAPCO | 16 X 4 150' XLR SNAKE | 16-INPUT X 4-OUTPUT XLR SNAKE WITH XLR & 1/4" RETURNS, 150' |
| RAPCO | 24 X 4 150' XLR SNAKE | 24-INPUT X 4-OUTPUT XLR SNAKE WITH XLR RETURNS, 150' |
| RAPCO | 24 X 8 100' XLR SNAKE | 24-INPUT X 8-OUTPUT XLR SNAKE WITH XLR RETURNS, 100' |
| RAPCO | 32 X 8 150' XLR SNAKE | 32-INPUT X 8-OUTPUT XLR SNAKE WITH XLR RETURNS, 150' |

LOUDSPEAKERS, PASSIVE

| | | |
|-------------|---------|--|
| JBL | VT4888 | VERTEC 3-WAY LINE ARRAY ELEMENT |
| ONE SYSTEMS | 112/HTH | WEATHER-PROOF 105° X 60° ROTATABLE WIDE DISPERSION SPEAKER |
| COMMUNITY | R2-474 | 3-WAY MEDIUM-THROW OUTDOOR LOUDSPEAKER |
| ONE SYSTEMS | 106/STH | WEATHERPROOF SPEAKER |
| EAW | JF560 | 2-WAY FULL-RANGE TRAPEZOIDAL LOUDSPEAKER |
| EAW | LA325 | 3-WAY FULL-RANGE LOUDSPEAKER |
| EAW | SB1000 | DUAL 18" HIGH-OUTPUT SUBWOOFER |
| EAW | SB250 | DUAL 15" HIGH-OUTPUT SUBWOOFER |
| EV | SX300 | 2-WAY FULL-RANGE LOUDSPEAKER |
| EV | SX80 | 2-WAY FULL-RANGE LOUDSPEAKER (175W) |
| JBL | MS28 | 2-WAY FULL-RANGE FRONT-FILL LOUDSPEAKER |
| JBL | JRX112M | 12" TWO-WAY STAGE MONITOR |
| EAW | SM12 | 2-WAY CONCERT MONITOR |

LOUDSPEAKERS, POWERED

| | | |
|-----------------|----------|---|
| QSC | KLA12 | 90° X 18° POWERED LINE-ARRAY LOUDSPEAKER |
| QSC | KLA181 | 18" POWERED SUBWOOFER (1000W) |
| QSC | K10.2 | 2-WAY POWERED LOUDSPEAKER WITH 10" SUBWOOFER & 90° COVERAGE |
| QSC | K8.2 | 2-WAY POWERED LOUDSPEAKER WITH 8" SUBWOOFER & 105° COVERAGE |
| MACKIE | SRM450 | 12" POWERED LOUDSPEAKER |
| MACKIE | SRM650 | 15" HIGH-DEFINITION POWERED LOUDSPEAKER (1600W) |
| MACKIE | SRM1850 | 18" POWERED SUBWOOFER (1600W) |
| MACKIE | SWA1501 | 15" POWERED SUBWOOFER |
| QSC | HPR122I | 12" 2-WAY POWERED LOUDSPEAKER |
| DB TECHNOLOGIES | ES1203 | COLUMN PA SYSTEM WITH 2 FULL-RANGE TOPS & SUBWOOFER |
| RENKUS-HEINZ | CF81 | 8" 2-WAY POWERED LOUDSPEAKER |
| JBL | EON10 G2 | 10" POWERED LOUDSPEAKER |

PLAYBACK/RECORD

| | | |
|-------------|--------------------|---|
| DENON | DNC630 | PROFESSIONAL CD PLAYER WITH PITCH CONTROL |
| DENON | DN-T620 | CD/CASSETTE COMBO UNIT |
| 360 SYSTEMS | INSTANT REPLAY 2.0 | SOUND EFFECTS STORAGE & PLAYBACK DEVICE |

MICROPHONES, WIRED

| | | |
|----------------|-----------|--|
| AUDIO TECHNICA | AT853 | MINI-CARDIOID CONDENSER MICROPHONE |
| CROWN | PCC-160 | HALF SUPER-CARDIOID BOUNDARY MICROPHONE, BLACK |
| AUDIO TECHNICA | AT857 | PHANTOM-POWERED GOOSENECK MICROPHONE |
| COUNTRYMAN | ISOMAX 4 | GOOSENECK CONDENSOR PODIUM MICROPHONE |
| SHURE | MX412 | GOOSENECK CONDENSER PODIUM MICROPHONE |
| AKG | 391 B | CARDIOID CONDENSER MICROPHONE WITH 3-POSITION ATTENUATOR |
| AKG | D112 | LARGE-DIAPHRAGM MICROPHONE |
| AUDIO TECHNICA | AE2500 | CARDIOID CONDENSER/DYNAMIC DUAL-ELEMENT MICROPHONE |
| AUDIX | OM6 | HYPER-CARDIOID DYNAMIC MICROPHONE |
| AUDIX | SCX25 | CARDIOID CONDENSER MICROPHONE |
| BEYERDYNAMIC | M88 | VOCAL/KICK MICROPHONE |
| SENNHEISER | MD 421-II | CARDIOID DYNAMIC MICROPHONE WITH (5) ROLL-OFF SETTINGS |
| SENNHEISER | E602 | CARDIOID DYNAMIC BASS DRUM MICROPHONE |
| SENNHEISER | E604 | DYNAMIC TOM/DRUM MICROPHONE |
| SENNHEISER | E609 | SUPER-CARDIOID DYNAMIC GUITAR AMP MICROPHONE |
| SENNHEISER | ME 66 | SUPER-CARDIOID SHORT SHOTGUN CAPSULE |
| SHURE | 819 | BOUNDARY MICROPHONE WITH 809 PREAMP |
| SHURE | BETA 52 | SUPER-CARDIOID DYNAMIC KICK DRUM MICROPHONE |
| SHURE | BETA 56 | SUPER-CARDIOID DYNAMIC INSTRUMENT MICROPHONE |
| SHURE | BETA 57 | SUPER-CARDIOID DYNAMIC MICROPHONE |
| SHURE | BETA 58 | SUPER-CARDIOID DYNAMIC MICROPHONE |
| SHURE | BETA 87 | SUPER-CARDIOID CONDENSER VOCAL MICROPHONE |
| SHURE | BETA 91 | BOUNDARY MICROPHONE |
| SHURE | KSM137/SL | CARDIOID CONDENSER MICROPHONE |
| SHURE | KSM32/CG | CARDIOID CONDENSER MICROPHONE |
| SHURE | SM57-LC | CARDIOID DYNAMIC MICROPHONE |
| SHURE | SM58-LC | CARDIOID DYNAMIC MICROPHONE |
| SHURE | SM81-LC | CARDIOID CONDENSER INSTRUMENT MICROPHONE |
| SHURE | SM98A | MINIATURE CARDIOID CONDENSER INSTRUMENT MICROPHONE |

MICROPHONES, WIRELESS

| | | |
|----------------|---------------|---|
| SHURE | QLX-D | DIGITAL WIRELESS SYSTEMS WITH BODYPACK & HANDHELD TRANSMITTERS |
| SHURE | ULX-D | DIGITAL WIRELESS SYSTEMS WITH BODYPACK & HANDHELD TRANSMITTERS |
| AUDIO TECHNICA | SYSTEM 10 PRO | DIGITAL WIRELESS SYSTEMS |
| SHURE | UA870WB | UHF WIDEBAND ACTIVE DIRECTIONAL ANTENNA (470-900MHZ) |
| SHURE | UA874WB | ACTIVE DIRECTIONAL ANTENNA |
| SHURE | UA844SWB | UHF ANTENNA DISTRIBUTION SYSTEM (470-952MHZ) |
| SHURE | UA845US | UHF ANTENNA DISTRIBUTION SYSTEM (500-900MHZ) |
| COUNTRYMAN | E6 | EARSET CONDENSER MICROPHONE WITH SHURE TERMINATION - VARIOUS COLORS |
| COUNTRYMAN | B3 | OMNI-DIRECTIONAL LAVALIER MICROPHONE, BLACK |
| SHURE | WL93/WL93T | OMNI-DIRECTIONAL MICRO-CONDENSER LAVALIER MICROPHONE (BLACK/TAN) |
| SHURE | BETA 53 | HEADWORN OMNI-DIRECTIONAL CONDENSER MICROPHONE |
| CROWN | CM-311E | HEADSET CONDENSER MICROPHONE |
| DPA | 4071-BM | OMNI-DIRECTIONAL MINIATURE LAVALIER MICROPHONE, BLACK |



VIDEO

PROJECTORS

AVAILABLE WITH LENSES, MOUNTS & HARDWARE

| | | |
|-------------------|------------|--------------------------------|
| CHRISTIE ROADSTER | HD20K-J | 20,000 LUMENS DLP HD PROJECTOR |
| CHRISTIE ROADSTER | HD14K-M | 14,000 LUMENS DLP HD PROJECTOR |
| PANASONIC | PT-DW10000 | 10,000 LUMENS DLP HD PROJECTOR |
| EIKI | LC-HDT1000 | 10,000 LUMENS HD PROJECTOR |
| EIKI | LC-HDT700 | 7,000 LUMENS HD PROJECTOR |
| EIKI | LC-WNS3200 | 3,600 LUMENS HD PROJECTOR |
| EIKI | LC-X80 | 6,500 LUMENS LCD PROJECTOR |
| CITY THEATRICAL | 4160 | DMX PROJECTOR DOWSER |

SCREENS

AVAILABLE IN FRONT AND REAR SURFACES, LEG & DRESS KITS AVAILABLE

| | | |
|------------|-----------------------------------|--|
| AV STUMPFL | MONOBLOX 64/32 (16:9) | 13' X 24', 11' X 20', 9' X 16', 8' X 14', 7' X 12', 6' X 10' |
| DA-LITE | HEAVY-DUTY FAST-FOLD DELUXE (4:3) | 15' X 20', 10.5' X 14', 9' X 12', |
| DA-LITE | FAST-FOLD DELUXE (4:3) | 10.5' X 14', 9' X 12', 7.5' X 10', 6' X 8' |
| DA-LITE | PORTABLE TRIPOD SCREEN (SQUARE) | 8' X 8', 7' X 7' |

LED VIDEO TILES

INFORMATION AVAILABLE UPON REQUEST

VIDEO MONITORS

AVAILABLE WITH DESK & FLOOR STANDS

LED MONITORS

AVAILABLE IN 22", 32", 43", 60", & 80"

LCD MONITORS

AVAILABLE IN 22" & 32"

PLASMA MONITORS

AVAILABLE IN 50" & 60"

VIDEO CAMERAS

AVAILABLE WITH VIEWFINDER, TRIPOD & LENSING

SONY

HDC-1500

PROFESSIONAL HD BROADCAST VIDEO CAMERA

PANASONIC

AJ-PX270

P2 HANDHELD HD VIDEO CAMCORDER

GOPRO

HERO 4

PORTABLE HD VIDEO CAMERA

WITH MOUNTING HARDWARE & ACCESSORIES

VIDEO PLAYBACK & RECORD

GREEN HIPPO

HIPPOTIZER KARST V4

MEDIA SERVER WITH (2) DVI DUAL-LINK & (1) DISPLAY PORT

AJA VIDEO SYSTEMS

KIPRO

PORTABLE FILE RECORDER - 250 OR 500GB STORAGE

DT VIDEOLABS

PLAYBACK PRO PLUS

MEDIA PLAYBACK SOFTWARE

FIGURE 53

QLAB4

MULTI-MEDIA PLAYBACK, CUE-BASED SOFTWARE

PROFESSIONAL DVD & BLU-RAY PLAYERS

VIDEO SWITCHERS

BLACKMAGIC DESIGN

ATEM 1M/E PRODUCTION STUDIO

4K LIVE-EVENT MULTI-CAMERA PRODUCTION SWITCHER

ROLAND

VR50HD

MULTI-FORMAT ALL-IN-ONE A/V MIXER

ROLAND

V1HD

PORTABLE HDMI VIDEO SWITCHER

BARCO

PDS-902 3G

PRESENTATION SWITCHER

FOLSOM

PRESENTATION PRO

SEAMLESS VGA SWITCHER WITH (8) OUTPUTS

VIDEO CABLE

SDI

AVAILABLE IN 200', 100' & 50'

FIBER

AVAILABLE IN 300'+

HDMI

AVAILABLE IN 50', 20', 10', 1.5'

RGBHV (5-WIRE BNC)

AVAILABLE IN 100', 50', 25' & 6'

VGA

AVAILABLE IN 100', 50', 25' & 6'

BNC

AVAILABLE IN 50', 25', 10', 6' & 3'

TRIAx

AVAILABLE IN 300', 200' & 100'

VIDEO DISTRIBUTION AMPLIFIERS (DAs)

SDI DAS

AVAILABLE IN 1 X 10 & 1 X 4

HDMI DAS

AVAILABLE IN 1 X 2

RGBHV (5-WIRE BNC) DAS

AVAILABLE IN 1 X 6, 1 X 4 & 1 X 2

VGA DAS

AVAILABLE IN 1 X 4 & 1 X 2

COMPUTERS

| | | |
|-------|----------------|--|
| APPLE | IMAC | 21.5" IMAC CORE I7 2.8 GHZ, 16GB SDRAM |
| APPLE | MACBOOK PRO 15 | 15" CORE 2 DUO 2.53 GHZ |
| APPLE | MACBOOK PRO 13 | 3.0 GHZ DUAL-CORE I7, 8 GB RAM, 512 GB SSD |
| DELL | INSPIRON 3520 | 15" INSPIRON 15 (3520) LAPTOP |

LECTERNS

| | | |
|--------------------------------------|--|--|
| LUCITE LECTERN | | |
| TRUSS LECTERN | | |
| DIGITAL LECTERN HD WITH MEDIA PLAYER | | |

A/V MEETING SUPPLIES

| | | |
|----------|----------------------|--|
| APPLE | IPAD | WITH WALL CHARGER & CASE |
| LOGITECH | R800 | WIRELESS PRESENTATION REMOTE WITH LASER POINTER |
| JELCO | EZ-STAND | PORTABLE CONFIDENCE MONITOR STAND |
| DA-LITE | SAFE-LOCK | COLLAPSIBLE PROJECTOR STAND WITH 17" X 25" SHELF |
| DA-LITE | AV CART | AVAILABLE WITH 25", 19", 17.5" & 11" LEGS |
| D'SAN | PERFECT CUE | PRESENTATION SIGNALING SYSTEM |
| D'SAN | LIMITIMER PRO-2000BT | AUTOMATED SPEAKER TIMER CONTROL |
| DA-LITE | FLIP CHART | PAPER PAD WITH EASEL |
| HP | LASER PRINTERS | |

SIGNAL PROCESSORS

| | | |
|--------------------|-------------------------|---|
| BARCO | IMAGE PRO-II | 4K SCALER, SCAN CONVERTER, & SWITCHER |
| BLACKMAGIC DESIGN | VIDEOHUB 12 | 12 X 12 SMART MATRIX ROUTER |
| BLACKMAGIC DESIGN | VIDEOHUB 16 | 16 X 16 SMART MATRIX ROUTER |
| BARCO | IMAGE PRO SDI | MULTI-FORMAT CONVERTER WITH SDI |
| BARCO | IMAGE PRO | MULTI-FORMAT CONVERTER |
| BLACKMAGIC DESIGN | SMARTVIDEOHUB | 20X20 6G-SDI |
| BLACKMAGIC DESIGN | SMARTSCOPE DUO | 4K |
| BLACKMAGIC DESIGN | ATEM 1/ME | BROADCAST PANEL |
| BLACKMAGIC DESIGN | MULTIVIEW 4 HD | |
| BLACKMAGIC DESIGN | BMD-CONVMBHS2 | HDMI TO SDI MINI CONVERTER |
| BLACKMAGIC DESIGN | BMD-CONVBATT/HS | BATTERY-POWERED HDMI TO SDI CONVERTER |
| BLACKMAGIC DESIGN | BMD-CONVMBSH | SDI TO HDMI MINI CONVERTER |
| BLACKMAGIC DESIGN | BMD-CONVMBSH4K | SDI TO HDMI 4K MINI CONVERTER |
| BLACKMAGIC DESIGN | BMD-CONVMH/DUTYBSH4K | SDI TO HDMI 4K MINI CONVERTER, HEAVY-DUTY |
| KRAMER ELECTRONICS | SDIANACONV | SDI TO ANALOG FORMAT CONVERTER |
| BLACKMAGIC DESIGN | DECIMATOR MD-HX | MINIATURE HDMI/SDI CROSS-CONVERTER WITH SCALING & FRAME RATE CONVERSION |
| SONY | DSC-1024HD | HD SCAN CONVERTER |
| ATLONA | AT-UHD-EX-70-KIT | 4K/UHD HDMI OVER HDBASET TX/RX KIT/POE |
| COMPREHENSIVE | VGA EXTENDER OVER CAT5E | |